

Index to volume 23

Author index*

A

- Ahmed J, D'Amato RF, Glatt AE. Clarification of equipment nomenclature. 1995;23:270 (Letter reply)
 APIC Guidelines Committee (see Larson and APIC Guidelines Committee). 1995;23:251-69
 — (see O'Rourke and APIC Guidelines Committee). 1995;23:50-2 (Commentary)
 April N (see Dolcé et al). 1995;23:34-9
 Axelson C (see Watanakunakorn et al). 1995;23:306-9 (Brief rep.)

B

- Bacelar TS (see Ferraz et al). 1995;23:290-4
 Baker C, Luce J, Chenoweth C, Friedman C. Comparison of case-finding methodologies for endometritis after cesarean section. 1995;23:27-33
 Becks VE, Lorenzoni NM. *Pseudomonas aeruginosa* outbreak in a neonatal intensive care unit: a possible link to contaminated hand lotion. 1995;23:396-8 (Practice forum)
 Bernard P-M (see Dolcé et al). 1995;23:34-9
 Bota B (see Watanakunakorn et al). 1995;23:306-9 (Brief rep.)
 Boyle MJ (see Gilmour et al). 1995;23:65-72
 Brennan PJ (see Shulkin and Brennan). 1995;23:1-4
 Brown RB, Parmelee MC. Clarification of equipment nomenclature. 1995;23:270 (Letter)
 Butler RC (see Zafar et al). 1995;23:200-8

C

- Caputo C (see Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)
 Chenoweth C (see Baker et al). 1995;23:27-33
 Chiarello LA. Selection of needlestick prevention devices: a conceptual framework for approaching product evaluation. 1995;23:386-95 (Practice forum)
 Chodoff A, Pettis AM, Schoonmaker D, Shelly MA. Polymicrobial gram-negative bacteremia associated with saline solution flush used with a needleless intravenous system. 1995;23:357-63
 Chu J (see Koenig and Chu). 1995;23:40-3 (Brief rep.)
 Clemence MA, Walker D, Farr BM. Central venous catheter practices: results of a survey. 1995;23:5-12
 Coelho HSTD (see Ferraz et al). 1995;23:290-4
 Cook JD, Lewis L, Thomassen KA. The use of continuous quality improvement to achieve proper isolation of patients with suspected tuberculosis. 1995;23:323-8 (Practice forum)
 Culver DH (see Sartor et al). 1995;23:364-8 (Brief rep.)

D

- D'Amato RF (see Ahmed et al). 1995;23:270 (Letter reply)
 Darcy D (see Faoagali and Darcy). 1995;23:247-50 (Brief rep.)
 Delclos GL (see Gershon et al). 1995;23:225-36
 Dolcé P, Gourdeau M, April N, Bernard P-M. Outbreak of glutaraldehyde-induced proctocolitis. 1995;23:34-9

E

- Edwards JR (see Sartor et al). 1995;23:364-8 (Brief rep.)
 English AJ (see Leinbach and English). 1995;23:73-7
 Ewert DP, Garcia D, George J, Mascola L. A comparison of hospital policies for measles, mumps, and rubella infection control in Los Angeles County, 1989 and 1992. 1995;23:369-72 (Brief rep.)

F

- Fallon F (see Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)
 Faoagali JL, Darcy D. Chickenpox outbreak among the staff of a large, urban adult hospital: costs of monitoring and control. 1995;23:247-50 (Brief rep.)
 —, Fong J, George N, Mahoney P, O'Rourke V. Comparison of the immediate, residual, and cumulative antibacterial effects of Novaderm R, Novascrub R, Betadine Surgical Scrub, Hibiclens, and liquid soap. 1995;23:337-43
 Farr BM (see Clemence et al). 1995;23:5-12
 Felknor SA (see Gershon et al). 1995;23:225-36
 Fella P, Rivera P, Hale M, Squires K, Sepkowitz K. Dramatic decrease in tuberculin skin test conversion rate among employees at a hospital in New York City. 1995;23:352-6
 Ferraz AAB (see Ferraz et al). 1995;23:290-4
 Ferraz EM, Ferraz AAB, Coelho HSTD, Viana VP, Sobral SML, Vasconcelos MdM, Bacelar TS. Postdischarge surveillance for nosocomial wound infection: Does judicious monitoring find cases? 1995;23:290-4
 Fong J (see Faoagali et al). 1995;23:337-43
 Frick D, Olmsted RN. Clarification of equipment nomenclature. 1995;23:270 (Letter)
 Friedman C (see Baker et al). 1995;23:27-33

G

- Garber GE (see Gravel-Tropper et al). 1995;23:22-6
 Garces JM (see Sitges-Serra et al). 1995;23:310-6 (Commentary)
 Garcia D (see Ewert et al). 1995;23:369-72 (Brief rep.)
 Garcia RY (see Smith et al). 1995;23:237-46
 Gaydos LA (see Zafar et al). 1995;23:200-8
 Gaynes RP (see Sartor et al). 1995;23:364-8 (Brief rep.)
 George J (see Ewert et al). 1995;23:369-72 (Brief rep.)
 George N (see Faoagali et al). 1995;23:337-43
 Gershon RRM, Vlahov D, Felknor SA, Vesley D, Johnson PC, Delclos GL, Murphy LR. Compliance with universal precautions among health care workers at three regional hospitals. 1995;23:225-36

*February, pp. 1-56; April, 57-168; June, pp. 169-222; August, pp. 223-272; October, pp. 273-336; December, pp. 337-408.

Gilligan ME (see Williams et al). 1995;23:152-5

Gilmour IJ, Boyle MJ, Streifel A, McComb RC. The effects of circuit and humidifier type on contamination potential during mechanical ventilation: a laboratory study. 1995;23:65-72

Glatt AE (see Ahmed et al). 1995;23:270 (Letter reply)

Gourdeau M (see Dolcé et al). 1995;23:34-9

Gravel-Tropper D, Oxley C, Memish Z, Garber GE. Underestimation of surgical site infection rates in obstetrics and gynecology. 1995;23:22-6

Guenther P (see Sweed et al). 1995;23:194-9

H

Haiduven DJ (see Simpkins et al). 1995;23:317-22 (Practice forum)

Hale M (see Fella et al). 1995;23:352-6

Hamory BH. The changing of the guard. 1995;23:223-4 (Editorial)

Harmon JC, Roche JM. Development of a research-based protocol to rule out tuberculosis by means of continuous quality improvement techniques. 1995;23:329-36 (Practice forum)

Horowitz HW, Luciano BB, Kadel JR, Wormser GP. Tuberculin skin test conversion in hospital employees vaccinated with bacille Calmette-Guérin: recent *Mycobacterium tuberculosis* infection or booster effect? 1995;23:181-7

Hospital Infection Control Practices Advisory Committee. Recommendations for preventing the spread of vancomycin resistance: recommendations of the Hospital Infection Control Practices Advisory Committee (HICPAC). 1995;23:87-94 (Special comm.)

I

Ippolito G (see Petrosillo et al). 1995;23:278-85

— (see Puro et al). 1995;23:273-7

Isenberg HD (see Lam et al). 1995;23:170-80

Italian Multicenter Study on Nosocomial and Occupational Risk of Infections in Dialysis (see Petrosillo et al). 1995;23:278-85

Italian Study Group on Occupational Risk of HIV and Other Bloodborne Infections (see Puro et al). 1995;23:273-7

J

Jackson MM, Lynch P. Development of a numeric Health Care Worker Risk-Assessment Scale to evaluate potential for blood-borne pathogen exposures. 1995;23:13-21

—, —. Development of a numeric Health Care Worker Risk-Assessment Scale to evaluate potential for blood-borne pathogen exposures (1995;23:13-21). 1995;23:187 (Correction)

Jagger J (see Petrosillo et al). 1995;23:278-85

Jarvis WR. Nosocomial transmission of multidrug-resistant *Mycobacterium tuberculosis*. 1995;23:146-51

Jimenez-Lucho VE, Fallon F, Caputo C, Ramsey K. Role of prolonged surveillance in the eradication of nosocomial scabies in an extended care Veterans Affairs medical center. 1995;23:44-9 (Brief rep.)

Johnsen C. Evaluation of two-step tuberculin testing in a Massachusetts correctional facility. 1995;23:209-12 (Brief rep.)

Johnson PC (see Gershon et al). 1995;23:225-36

K

Kadel JR (see Horowitz et al). 1995;23:181-7

Karabaic M (see Orenstein et al). 1995;23:344-51

Khokhar JB (see Yassi et al). 1995;23:57-64

Koenig S, Chu J. Medical student exposure to blood and infectious body fluids. 1995;23:40-3 (Brief rep.)

L

Lam S, Singer C, Tucci V, Morthland VH, Pfaller MA, Isenberg HD. The challenge of vancomycin-resistant enterococci: a clinical and epidemiologic study. 1995;23:170-80

Lamb A (see Orenstein et al). 1995;23:344-51

Larson EL, APIC Guidelines Committee. APIC guidelines for handwashing and hand antisepsis in health care settings. 1995;23:251-69

Leinbach RM, English AJ. Training needs of infection control professionals in long-term care facilities in Virginia. 1995;23:73-7

Lewis L (see Cook et al). 1995;23:323-8 (Practice forum)

Lohiya GS, Stewart K, Perot K, Widman R. Parvovirus B19 outbreak in a developmental center. 1995;23:373-6 (Brief rep.)

Lorenzoni NM (see Becks and Lorenzoni). 1995;23:396-8 (Practice forum)

Luce J (see Baker et al). 1995;23:27-33

Lucente K (see Sweed et al). 1995;23:194-9

Luciano BB (see Horowitz et al). 1995;23:181-7

Lynch P (see Jackson and Lynch). 1995;23:13-21

M

Mahoney P (see Faoagali et al). 1995;23:337-43

Markowitz SM (see Orenstein et al). 1995;23:344-51

Mascola L (see Ewert et al). 1995;23:369-72 (Brief rep.)

McComb RC (see Gilmour et al). 1995;23:65-72

McFarland LV. Epidemiology of infectious and iatrogenic nosocomial diarrhea in a cohort of general medicine patients. 1995;23:295-305

McGill ML (see Yassi et al). 1995;23:57-64

McGowan JE Jr. Preventing nosocomial tuberculosis—progress at last. 1995;23:141-5 (Editorial)

Memish Z (see Gravel-Tropper et al). 1995;23:22-6

Mennon PA (see Zafar et al). 1995;23:200-8

Morgan J (see Salemi et al). 1995;23:188-93

Morrissey R (see Salemi et al). 1995;23:188-93

Morthland VH (see Lam et al). 1995;23:170-80

Murphy LR (see Gershon et al). 1995;23:225-36

Muzik AC (see Smith et al). 1995;23:237-46

N

Nardell EA. Interrupting transmission from patients with unsuspected tuberculosis: a unique role for upper-room ultraviolet air disinfection. 1995;23:156-64

National Nosocomial Infections Surveillance System. National Nosocomial Infections Surveillance (NNIS) semiannual report, May 1995. 1995;23:377-85 (Special comm.)

— (see Sartor et al). 1995;23:364-8 (Brief rep.)

Nichols RL (see Smith et al). 1995;23:237-46

O

Olmsted RN (see Frick and Olmsted). 1995;23:270 (Letter)

Orenstein R, Reynolds L, Karabaic M, Lamb A, Markowitz SM, Wong ES. Do protective devices prevent needlestick injuries among health care workers? 1995;23:344-51

O'Rourke EJ, APIC Guidelines Committee. The first HICPAC guideline: well done, CDC. 1995;23:50-2 (Commentary)

O'Rourke V (see Faoagali et al). 1995;23:337-43

Oxley C (see Gravel-Tropper et al). 1995;23:22-6

P

Padilla S (see Salemi et al). 1995;23:188-93

Parmelee MC (see Brown and Parmelee). 1995;23:270 (Letter)

- Perot K (see Lohiya et al). 1995;23:373-6 (Brief rep.)
- Petrosillo N, Puro V, Jagger J, Ippolito G, Italian Multicenter Study on Nosocomial and Occupational Risk of Infections in Dialysis. The risks of occupational exposure and infection by human immunodeficiency virus, hepatitis B virus, and hepatitis C virus in the dialysis setting. 1995;23:278-85
- (see Puro et al). 1995;23:273-7
- Pettis AM (see Chodoff et al). 1995;23:357-63
- Pfaller MA (see Lam et al). 1995;23:170-80
- Pi-Suñer T (see Sitges-Serra et al). 1995;23:310-6 (Commentary)
- Puro V, Petrosillo N, Ippolito G, Italian Study Group on Occupational Risk of HIV and Other Bloodborne Infections. Risk of hepatitis C seroconversion after occupational exposures in health care workers. 1995;23:273-7
- (see Petrosillo et al). 1995;23:278-85

Q

- Quality Indicator Study Group. An approach to the evaluation of quality indicators of the outcome of care in hospitalized patients, with a focus on nosocomial infection indicators. 1995;23:215-22 (Special comm.)

R

- Ramsey K (see Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)
- Reese DJ (see Zafar et al). 1995;23:200-8
- Reynolds L (see Orenstein et al). 1995;23:344-51
- Rivera P (see Fella et al). 1995;23:352-6
- Roche JM (see Harmon and Roche). 1995;23:329-36 (Practice forum)

S

- Salemi C, Morgan J, Padilla S, Morrissey R. Association between severity of illness and mortality from nosocomial infection. 1995;23:188-93
- Sartor C, Edwards JR, Gaynes RP, Culver DH, National Nosocomial Infections Surveillance System. Evolution of hospital participation in the National Nosocomial Infections Surveillance System, 1986 to 1993. 1995;23:364-8 (Brief rep.)
- Schneider N (see Williams et al). 1995;23:152-5
- Schoonmaker D (see Chodoff et al). 1995;23:357-63
- Segura M (see Sitges-Serra et al). 1995;23:310-6 (Commentary)
- Sepkowitz K (see Fella et al). 1995;23:352-6
- Shelly MA (see Chodoff et al). 1995;23:357-63
- Shulkin DJ, Brennan PJ. The cost of caring for patients with tuberculosis: planning for a disease on the rise. 1995;23:1-4
- Simpkins SM, Haiduvén DJ, Stevens DA. Safety product evaluation: six years of experience. 1995;23:317-22 (Practice forum)
- Singer C (see Lam et al). 1995;23:170-80
- Sitges-Serra A, Pi-Suñer T, Garces JM, Segura M. Pathogenesis and prevention of catheter-related septicemia. 1995;23:310-6 (Commentary)
- Smith JW, Tate WA, Yazdani S, Garcia RY, Muzik AC, Nichols RL. Determination of surgeon-generated gown pressures during various surgical procedures in the operating room. 1995;23:237-46
- Sobral SML (see Ferraz et al). 1995;23:290-4

- Squires K (see Fella et al). 1995;23:352-6
- Stahl C (see Watanakunakorn et al). 1995;23:306-9 (Brief rep.)
- Stevens DA (see Simpkins et al). 1995;23:317-22 (Practice forum)
- Stewart K (see Lohiya et al). 1995;23:373-6 (Brief rep.)
- Streifel A (see Gilmour et al). 1995;23:65-72
- Sweed M, Guenter P, Lucente K, Turner JL, Weingarten MS. Long-term central venous catheters in patients with acquired immunodeficiency syndrome. 1995;23:194-9

T

- Tate WA (see Smith et al). 1995;23:237-46
- Thomassen KA (see Cook et al). 1995;23:323-8 (Practice forum)
- Tucci V (see Lam et al). 1995;23:170-80
- Turner JL (see Sweed et al). 1995;23:194-9

V

- Valenti WM. Infection control, human immunodeficiency virus, and home health care: II. Risk to the caregiver. 1995;23:78-81 (AIDS: problem solving in infection control)
- Vasconcelos MdDM (see Ferraz et al). 1995;23:290-4
- Vesley DL. Respiratory protection devices. 1995;23:165-8
- (see Gershon et al). 1995;23:225-36
- Viana VP (see Ferraz et al). 1995;23:290-4
- Vlahov D (see Gershon et al). 1995;23:225-36

W

- Walker D (see Clemence et al). 1995;23:5-12
- Watanakunakorn C, Axelson C, Bota B, Stahl C. Mupirocin ointment with and without chlorhexidine baths in the eradication of *Staphylococcus aureus* nasal carriage in nursing home residents. 1995;23:306-9 (Brief rep.)
- Weingarten MS (see Sweed et al). 1995;23:194-9
- White MC. Transitions. 1995;23:169 (Editorial)
- Widman R (see Lohiya et al). 1995;23:373-6 (Brief rep.)
- Williams J, Schneider N, Gilligan ME. Implementing a tuberculosis control program. 1995;23:152-5
- Wong ES (see Orenstein et al). 1995;23:344-51
- Wormser GP (see Horowitz et al). 1995;23:181-7

Y

- Yassi A, McGill ML, Khokhar JB. Efficacy and cost-effectiveness of a needleless intravenous access system. 1995;23:57-64
- Yazdani S (see Smith et al). 1995;23:237-46

Z

- Zafar AB, Butler RC, Reese DJ, Gaydos LA, Mennonna PA. Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery. 1995;23:200-8
- Zuckerman AJ. Occupational exposure to hepatitis B virus and human immunodeficiency virus: a comparative risk analysis. 1995;23:286-9

Subject index*

A

Abstracts

Abstracts. 1995;23:95-138

Acquired immunodeficiency syndrome

Infection control, human immunodeficiency virus, and home health care: II. Risk to the caregiver (Valenti). 1995;23:78-81 (AIDS: problem solving in infection control)

Long-term central venous catheters in patients with acquired immunodeficiency syndrome (Sweed et al). 1995;23:194-9

AIDS: problem solving in infection control

AIDS: problem solving in infection control. 1995;23:78-81

Air disinfection

Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64

American Journal of Infection Control

The changing of the guard (Hamory). 1995;23:223-4 (Editorial)

Transitions (White). 1995;23:169 (Editorial)

Antisepsis; see Disinfection

APIC guidelines for infection control practice

APIC guidelines for infection control practice. 1995;23:251-69

Association for Professionals in Infection Control

APIC guidelines for handwashing and hand antisepsis in health care settings (Larson and APIC Guidelines Committee). 1995;23:251-69

B

Bacille Calmett-Guérin vaccine; see BCG vaccine

Bacteria, gram-negative

Polymicrobial gram-negative bacteremia associated with saline solution flush used with a needleless intravenous system (Chodoff et al). 1995;23:357-63

BCG vaccine

Tuberculin skin test conversion in hospital employees vaccinated with bacille Calmette-Guérin: recent *Mycobacterium tuberculosis* infection or booster effect? (Horowitz et al). 1995;23:181-7

Blood

Determination of surgeon-generated gown pressures during various surgical procedures in the operating room (Smith et al). 1995;23:237-46

Development of a numeric Health Care Worker Risk-Assessment Scale to evaluate potential for blood-borne pathogen exposures (Jackson and Lynch). 1995;23:13-21

Medical student exposure to blood and infectious body fluids (Koenig and Chu). 1995;23:40-3 (Brief rep.)

Body fluids

Determination of surgeon-generated gown pressures during various surgical procedures in the operating room (Smith et al). 1995;23:237-46

Medical student exposure to blood and infectious body fluids (Koenig and Chu). 1995;23:40-3 (Brief rep.)

Brief reports

Brief reports. 1995;23:40-9, 209-12, 247-50, 364-76

C

Case-finding methods

Comparison of case-finding methodologies for endometritis after cesarean section (Baker et al). 1995;23:27-33

Catheterization

Pathogenesis and prevention of catheter-related septicemia (Sitges-Serra et al). 1995;23:310-6 (Commentary)

Catheterization, central venous

Central venous catheter practices: results of a survey (Clemence et al). 1995;23:5-12

Long-term central venous catheters in patients with acquired immunodeficiency syndrome (Sweed et al). 1995;23:194-9

Centers for Disease Control and Prevention

The first HICPAC guideline: well done, CDC (O'Rourke and APIC Guidelines Committee). 1995;23:50-2 (Commentary)

National Nosocomial Infections Surveillance (NNIS) semiannual report, May 1995 (National Nosocomial Infections Surveillance System). 1995;23:377-85 (Special comm.)

Recommendations for preventing the spread of vancomycin resistance: recommendations of the Hospital Infection Control Practices Advisory Committee (HICPAC) (Hospital Infection Control Practices Advisory Committee). 1995;23:87-94 (Special comm.)

Central venous catheterization; see Catheterization, central venous

Cesarean section

Comparison of case-finding methodologies for endometritis after cesarean section (Baker et al). 1995;23:27-33

Chickenpox

Chickenpox outbreak among the staff of a large, urban adult hospital: costs of monitoring and control (Faoagali and Darcy). 1995;23:247-50 (Brief rep.)

Chlorhexidine

Mupirocin ointment with and without chlorhexidine baths in the eradication of *Staphylococcus aureus* nasal carriage in nursing home residents (Watanakunakorn et al). 1995;23:306-9 (Brief rep.)

Commentaries

Commentaries. 1995;23:50-2, 310-6

Compliance

Compliance with universal precautions among health care workers at three regional hospitals (Gershon et al). 1995;23:225-36

Continuous quality improvement

Development of a research-based protocol to rule out tuberculosis by means of continuous quality improvement techniques (Harmon and Roche). 1995;23:329-36 (Practice forum)

The use of continuous quality improvement to achieve proper isolation of patients with suspected tuberculosis (Cook et al). 1995;23:323-8 (Practice forum)

Correctional facilities; see Prisons

Costs and cost analysis

Chickenpox outbreak among the staff of a large, urban adult hospital: costs of monitoring and control (Faoagali and Darcy). 1995;23:247-50 (Brief rep.)

The cost of caring for patients with tuberculosis: planning for a disease on the rise (Shulkin and Brennan). 1995;23:1-4

Efficacy and cost-effectiveness of a needleless intravenous access system (Yassi et al). 1995;23:57-64

Cross infection

An approach to the evaluation of quality indicators of the outcome of care in hospitalized patients, with a focus on nosocomial infection indicators (Quality Indicator Study Group). 1995;23:215-22 (Special comm.)

*February, pp. 1-56; April, 57-168; June, pp. 169-222; August, pp. 223-272; October, pp. 273-336; December, pp. 337-408.

- Association between severity of illness and mortality from nosocomial infection (Salemi et al). 1995;23:188-93
- Central venous catheter practices: results of a survey (Clemence et al). 1995;23:5-12
- Epidemiology of infectious and iatrogenic nosocomial diarrhea in a cohort of general medicine patients (McFarland). 1995;23:295-305
- Evolution of hospital participation in the National Nosocomial Infections Surveillance System, 1986 to 1993 (Sartor et al). 1995;23:364-8 (Brief rep.)
- The first HICPAC guideline: well done, CDC (O'Rourke and APIC Guidelines Committee). 1995;23:50-2 (Commentary)
- Implementing a tuberculosis control program (Williams et al). 1995;23:152-5
- Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64
- National Nosocomial Infections Surveillance (NNIS) semiannual report, May 1995 (National Nosocomial Infections Surveillance System). 1995;23:377-85 (Special comm.)
- Nosocomial transmission of multidrug-resistant *Mycobacterium tuberculosis* (Jarvis). 1995;23:146-51
- Pathogenesis and prevention of catheter-related septicemia (Sitges-Serra et al). 1995;23:310-6 (Commentary)
- Postdischarge surveillance for nosocomial wound infection: Does judicious monitoring find cases? (Ferraz et al). 1995;23:290-4
- Preventing nosocomial tuberculosis—progress at last (McGowan). 1995;23:141-5 (Editorial)
- Role of prolonged surveillance in the eradication of nosocomial scabies in an extended care Veterans Affairs medical center (Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)
- Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery (Zafar et al). 1995;23:200-8

D

Death

- Association between severity of illness and mortality from nosocomial infection (Salemi et al). 1995;23:188-93

Developmental disability center

- Parvovirus B19 outbreak in a developmental center (Lohiya et al). 1995;23:373-6 (Brief rep.)

Dialysis

- The risks of occupational exposure and infection by human immunodeficiency virus, hepatitis B virus, and hepatitis C virus in the dialysis setting (Petrosillo et al). 1995;23:278-85

Diarrhea

- Epidemiology of infectious and iatrogenic nosocomial diarrhea in a cohort of general medicine patients (McFarland). 1995;23:295-305

Disinfectants

- Comparison of the immediate, residual, and cumulative antibacterial effects of Novaderm R, Novascrub R, Betadine Surgical Scrub, Hibiclens, and liquid soap (Faoagali et al). 1995;23:337-43
- Outbreak of glutaraldehyde-induced proctocolitis (Dolcé et al). 1995;23:34-9
- Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery (Zafar et al). 1995;23:200-8

Disinfection

- APIC guidelines for handwashing and hand antisepsis in health care settings (Larson and APIC Guidelines Committee). 1995;23:251-69
- Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64

E

Editorials

- Editorials. 1995;23:141-5, 169, 223-4

Editorship

- The changing of the guard (Hamory). 1995;23:223-4 (Editorial)
- Transitions (White). 1995;23:169 (Editorial)

Education

- Training needs of infection control professionals in long-term care facilities in Virginia (Leinbach and English). 1995;23:73-7

Endometritis

- Comparison of case-finding methodologies for endometritis after cesarean section (Baker et al). 1995;23:27-33

Enterococcus

- The challenge of vancomycin-resistant enterococci: a clinical and epidemiologic study (Lam et al). 1995;23:170-80
- Recommendations for preventing the spread of vancomycin resistance: recommendations of the Hospital Infection Control Practices Advisory Committee (HICPAC) (Hospital Infection Control Practices Advisory Committee). 1995;23:87-94 (Special comm.)

Equipment and supplies

- Clarification of equipment nomenclature (Frick and Olmsted) (Letter); (Brown) (Letter); (Ahmed et al) (Reply). 1995;23:270

Equipment contamination

- The effects of circuit and humidifier type on contamination potential during mechanical ventilation: a laboratory study (Gilmour et al). 1995;23:65-72
- Outbreak of glutaraldehyde-induced proctocolitis (Dolcé et al). 1995;23:34-9

Extended care facilities; see Skilled nursing facilities

G

Glutaraldehyde

- Outbreak of glutaraldehyde-induced proctocolitis (Dolcé et al). 1995;23:34-9

Guidelines

- APIC guidelines for handwashing and hand antisepsis in health care settings (Larson and APIC Guidelines Committee). 1995;23:251-69
- The first HICPAC guideline: well done, CDC (O'Rourke and APIC Guidelines Committee). 1995;23:50-2 (Commentary)
- Recommendations for preventing the spread of vancomycin resistance: recommendations of the Hospital Infection Control Practices Advisory Committee (HICPAC) (Hospital Infection Control Practices Advisory Committee). 1995;23:87-94 (Special comm.)

Gynecology

- Underestimation of surgical site infection rates in obstetrics and gynecology (Gravel-Tropper et al). 1995;23:22-6

H

Hand lotion

- Pseudomonas aeruginosa* outbreak in a neonatal intensive care unit: a possible link to contaminated hand lotion (Becks and Lorenzoni). 1995;23:396-8 (Practice forum)

Handwashing

- APIC guidelines for handwashing and hand antisepsis in health care settings (Larson and APIC Guidelines Committee). 1995;23:251-69
- Comparison of the immediate, residual, and cumulative antibacterial effects of Novaderm R, Novascrub R, Betadine Surgical Scrub, Hibiclens, and liquid soap (Faoagali et al). 1995;23:337-43

Health Care Worker Risk-Assessment Scale

Development of a numeric Health Care Worker Risk-Assessment Scale to evaluate potential for blood-borne pathogen exposures (Jackson and Lynch). 1995;23:13-21

Hepatitis B

Occupational exposure to hepatitis B virus and human immunodeficiency virus: a comparative risk analysis (Zuckerman). 1995;23:286-9

The risks of occupational exposure and infection by human immunodeficiency virus, hepatitis B virus, and hepatitis C virus in the dialysis setting (Petrosillo et al). 1995;23:278-85

Hepatitis C

Risk of hepatitis C seroconversion after occupational exposures in health care workers (Puro et al). 1995;23:273-7

The risks of occupational exposure and infection by human immunodeficiency virus, hepatitis B virus, and hepatitis C virus in the dialysis setting (Petrosillo et al). 1995;23:278-85

HIV

Infection control, human immunodeficiency virus, and home health care: II. Risk to the caregiver (Valenti). 1995;23:78-81 (AIDS: problem solving in infection control)

Occupational exposure to hepatitis B virus and human immunodeficiency virus: a comparative risk analysis (Zuckerman). 1995;23:286-9

The risks of occupational exposure and infection by human immunodeficiency virus, hepatitis B virus, and hepatitis C virus in the dialysis setting (Petrosillo et al). 1995;23:278-85

Home care

Infection control, human immunodeficiency virus, and home health care: II. Risk to the caregiver (Valenti). 1995;23:78-81 (AIDS: problem solving in infection control)

Hospital Infection Control Practices Advisory Committee

The first HICPAC guideline: well done, CDC (O'Rourke and APIC Guidelines Committee). 1995;23:50-2 (Commentary)

Recommendations for preventing the spread of vancomycin resistance: recommendations of the Hospital Infection Control Practices Advisory Committee (HICPAC) (Hospital Infection Control Practices Advisory Committee). 1995;23:87-94 (Special comm.)

Human immunodeficiency virus; see HIV**Humidifiers**

The effects of circuit and humidifier type on contamination potential during mechanical ventilation: a laboratory study (Gilmour et al). 1995;23:65-72

I**Indicators, quality**

An approach to the evaluation of quality indicators of the outcome of care in hospitalized patients, with a focus on nosocomial infection indicators (Quality Indicator Study Group). 1995;23:215-22 (Special comm.)

Infant, newborn

Pseudomonas aeruginosa outbreak in a neonatal intensive care unit: a possible link to contaminated hand lotion (Becks and Lorenzoni). 1995;23:396-8 (Practice forum)

Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery (Zafar et al). 1995;23:200-8

Injections, intravenous

Efficacy and cost-effectiveness of a needleless intravenous access system (Yassi et al). 1995;23:57-64

Polymicrobial gram-negative bacteremia associated with saline solution flush used with a needleless intravenous system (Chodoff et al). 1995;23:357-63

Intensive care units

Pseudomonas aeruginosa outbreak in a neonatal intensive care unit: a possible link to contaminated hand lotion (Becks and Lorenzoni). 1995;23:396-8 (Practice forum)

Isolation

The use of continuous quality improvement to achieve proper isolation of patients with suspected tuberculosis (Cook et al). 1995;23:323-8 (Practice forum)

Issues and challenges

Issues and challenges. 1995;23:55-6, 85-6, 213-4, 271-2

L**Literature reviews**

Literature reviews. 1995;23:53-4, 82-4

Long-term care

Mupirocin ointment with and without chlorhexidine baths in the eradication of *Staphylococcus aureus* nasal carriage in nursing home residents (Watanakunakorn et al). 1995;23:306-9 (Brief rep.)

Training needs of infection control professionals in long-term care facilities in Virginia (Leinbach and English). 1995;23:73-7

M**Measles**

A comparison of hospital policies for measles, mumps, and rubella infection control in Los Angeles County, 1989 and 1992 (Ewert et al). 1995;23:369-72 (Brief rep.)

Mechanical ventilation; see Respiration, artificial**Medical students; see Students, medical****Methicillin**

Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery (Zafar et al). 1995;23:200-8

Mortality

Association between severity of illness and mortality from nosocomial infection (Salemi et al). 1995;23:188-93

Mumps

A comparison of hospital policies for measles, mumps, and rubella infection control in Los Angeles County, 1989 and 1992 (Ewert et al). 1995;23:369-72 (Brief rep.)

Mupirocin

Mupirocin ointment with and without chlorhexidine baths in the eradication of *Staphylococcus aureus* nasal carriage in nursing home residents (Watanakunakorn et al). 1995;23:306-9 (Brief rep.)

Mycobacterium tuberculosis; see also Tuberculosis

Nosocomial transmission of multidrug-resistant *Mycobacterium tuberculosis* (Jarvis). 1995;23:146-51

Tuberculin skin test conversion in hospital employees vaccinated with bacille Calmette-Guérin: recent *Mycobacterium tuberculosis* infection or booster effect? (Horowitz et al). 1995;23:181-7

N**National Nosocomial Infections Surveillance System**

Evolution of hospital participation in the National Nosocomial Infections Surveillance System, 1986 to 1993 (Sartor et al). 1995;23:364-8 (Brief rep.)

National Nosocomial Infections Surveillance (NNIS) semiannual report, May 1995 (National Nosocomial Infections Surveillance System). 1995;23:377-85 (Special comm.)

Needles

Do protective devices prevent needlestick injuries among health care workers? (Orenstein et al). 1995;23:344-51

Efficacy and cost-effectiveness of a needleless intravenous access system (Yassi et al). 1995;23:57-64

Polymicrobial gram-negative bacteremia associated with saline solution flush used with a needleless intravenous system (Chodoff et al). 1995;23:357-63

Selection of needlestick prevention devices: a conceptual framework for approaching product evaluation (Chiarello). 1995;23:386-95 (Practice forum)

Neonate; see Infant, newborn

Nomenclature

Clarification of equipment nomenclature (Frick and Olmsted) (Letter); (Brown) (Letter); (Ahmed et al) (Reply). 1995;23:270

Nose

Mupirocin ointment with and without chlorhexidine baths in the eradication of *Staphylococcus aureus* nasal carriage in nursing home residents (Watanakunakorn et al). 1995;23:306-9 (Brief rep.)

Nosocomial infection; see Cross infection

Nursing homes; see Long-term care

O

Obstetrics

Underestimation of surgical site infection rates in obstetrics and gynecology (Gravel-Tropper et al). 1995;23:22-6

Occupational exposure

Occupational exposure to hepatitis B virus and human immunodeficiency virus: a comparative risk analysis (Zuckerman). 1995;23:286-9

Respiratory protection devices (Vesley). 1995;23:165-8

Risk of hepatitis C seroconversion after occupational exposures in health care workers (Puro et al). 1995;23:273-7

The risks of occupational exposure and infection by human immunodeficiency virus, hepatitis B virus, and hepatitis C virus in the dialysis setting (Petrosillo et al). 1995;23:278-85

P

Parvoviruses

Parvovirus B19 outbreak in a developmental center (Lohiya et al). 1995;23:373-6 (Brief rep.)

Patient discharge

Postdischarge surveillance for nosocomial wound infection: Does judicious monitoring find cases? (Ferraz et al). 1995;23:290-4

Pneumonia

The first HICPAC guideline: well done, CDC (O'Rourke and APIC Guidelines Committee). 1995;23:50-2 (Commentary)

Practice forum

Practice forum. 1995;23:317-36, 386-98

Prisons

Evaluation of two-step tuberculin testing in a Massachusetts correctional facility (Johnsen). 1995;23:209-12 (Brief rep.)

Proctocolitis

Outbreak of glutaraldehyde-induced proctocolitis (Dolcé et al). 1995;23:34-9

Program

Twenty-second Annual Education Conference and International Meeting of APIC. 1995;23:139-40

Protective clothing

Determination of surgeon-generated gown pressures during various surgical procedures in the operating room (Smith et al). 1995;23:237-46

Protective devices

Do protective devices prevent needlestick injuries among health care workers? (Orenstein et al). 1995;23:344-51

Respiratory protection devices (Vesley). 1995;23:165-8

Safety product evaluation: six years of experience (Simpkins et al). 1995;23:317-22 (Practice forum)

Selection of needlestick prevention devices: a conceptual framework for approaching product evaluation (Chiarello). 1995;23:386-95 (Practice forum)

Pseudomonas aeruginosa

Pseudomonas aeruginosa outbreak in a neonatal intensive care unit: a possible link to contaminated hand lotion (Becks and Lorenzoni). 1995;23:396-8 (Practice forum)

Q

Quality assurance

An approach to the evaluation of quality indicators of the outcome of care in hospitalized patients, with a focus on nosocomial infection indicators (Quality Indicator Study Group). 1995;23:215-22 (Special comm.)

Quality improvement

Development of a research-based protocol to rule out tuberculosis by means of continuous quality improvement techniques (Harmon and Roche). 1995;23:329-36 (Practice forum)

The use of continuous quality improvement to achieve proper isolation of patients with suspected tuberculosis (Cook et al). 1995;23:323-8 (Practice forum)

R

Research

Development of a research-based protocol to rule out tuberculosis by means of continuous quality improvement techniques (Harmon and Roche). 1995;23:329-36 (Practice forum)

Respiration

Respiratory protection devices (Vesley). 1995;23:165-8

Respiration, artificial

The effects of circuit and humidifier type on contamination potential during mechanical ventilation: a laboratory study (Gilmour et al). 1995;23:65-72

Reviews

Literature reviews. 1995;23:53-4, 82-4

Risk factors

Development of a numeric Health Care Worker Risk-Assessment Scale to evaluate potential for blood-borne pathogen exposures (Jackson and Lynch). 1995;23:13-21

Rubella

A comparison of hospital policies for measles, mumps, and rubella infection control in Los Angeles County, 1989 and 1992 (Ewert et al). 1995;23:369-72 (Brief rep.)

S

Safety; see also Protective clothing; Protective devices

Safety product evaluation: six years of experience (Simpkins et al). 1995;23:317-22 (Practice forum)

Saline solutions

Polymicrobial gram-negative bacteremia associated with saline solution flush used with a needleless intravenous system (Chodoff et al). 1995;23:357-63

Scabies

Role of prolonged surveillance in the eradication of nosocomial scabies in an extended care Veterans Affairs medical center (Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)

Septicemia

Central venous catheter practices: results of a survey (Clemence et al). 1995;23:5-12

- Pathogenesis and prevention of catheter-related septicemia (Sitges-Serra et al). 1995;23:310-6 (Commentary)
- Polymicrobial gram-negative bacteremia associated with saline solution flush used with a needleless intravenous system (Chodoff et al). 1995;23:357-63

Skilled nursing facilities

- Role of prolonged surveillance in the eradication of nosocomial scabies in an extended care Veterans Affairs medical center (Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)

Special communications

- Special communications. 1995;23:87-94, 215-22, 377-85

Staphylococcus aureus

- Mupirocin ointment with and without chlorhexidine baths in the eradication of *Staphylococcus aureus* nasal carriage in nursing home residents (Watanakunakorn et al). 1995;23:306-9 (Brief rep.)
- Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery (Zafar et al). 1995;23:200-8

Students, medical

- Medical student exposure to blood and infectious body fluids (Koenig and Chu). 1995;23:40-3 (Brief rep.)

Surgery

- Determination of surgeon-generated gown pressures during various surgical procedures in the operating room (Smith et al). 1995;23:237-46

Surgical gowns; see Protective clothing

Surgical wound infection

- Postdischarge surveillance for nosocomial wound infection: Does judicious monitoring find cases? (Ferraz et al). 1995;23:290-4
- Underestimation of surgical site infection rates in obstetrics and gynecology (Gravel-Tropper et al). 1995;23:22-6

Surveillance

- Chickenpox outbreak among the staff of a large, urban adult hospital: costs of monitoring and control (Faoagali and Darcy). 1995;23:247-50 (Brief rep.)
- Evolution of hospital participation in the National Nosocomial Infections Surveillance System, 1986 to 1993 (Sartor et al). 1995;23:364-8 (Brief rep.)
- National Nosocomial Infections Surveillance (NNIS) semiannual report, May 1995 (National Nosocomial Infections Surveillance System). 1995;23:377-85 (Special comm.)
- Postdischarge surveillance for nosocomial wound infection: Does judicious monitoring find cases? (Ferraz et al). 1995;23:290-4
- Role of prolonged surveillance in the eradication of nosocomial scabies in an extended care Veterans Affairs medical center (Jimenez-Lucho et al). 1995;23:44-9 (Brief rep.)

T

Triclosan

- Comparison of the immediate, residual, and cumulative antibacterial effects of Novaderm R, Novascrub R, Betadine Surgical Scrub, Hibiclens, and liquid soap (Faoagali et al). 1995;23:337-43
- Use of 0.3% triclosan (Bacti-Stat) to eradicate an outbreak of methicillin-resistant *Staphylococcus aureus* in a neonatal nursery (Zafar et al). 1995;23:200-8

Tuberculin test

- Dramatic decrease in tuberculin skin test conversion rate among employees at a hospital in New York City (Fella et al). 1995;23:352-6
- Evaluation of two-step tuberculin testing in a Massachusetts correctional facility (Johnsen). 1995;23:209-12 (Brief rep.)
- Tuberculin skin test conversion in hospital employees vaccinated with bacille Calmette-Guérin: recent *Mycobacterium tuberculosis* infection or booster effect? (Horowitz et al). 1995;23:181-7

Tuberculosis

- The cost of caring for patients with tuberculosis: planning for a disease on the rise (Shulkin and Brennan). 1995;23:1-4
- Development of a research-based protocol to rule out tuberculosis by means of continuous quality improvement techniques (Harmon and Roche). 1995;23:329-36 (Practice forum)
- Dramatic decrease in tuberculin skin test conversion rate among employees at a hospital in New York City (Fella et al). 1995;23:352-6
- Evaluation of two-step tuberculin testing in a Massachusetts correctional facility (Johnsen). 1995;23:209-12 (Brief rep.)
- Implementing a tuberculosis control program (Williams et al). 1995;23:152-5
- Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64
- Nosocomial transmission of multidrug-resistant *Mycobacterium tuberculosis* (Jarvis). 1995;23:146-51
- Preventing nosocomial tuberculosis—progress at last (McGowan). 1995;23:141-5 (Editorial)
- Respiratory protection devices (Vesley). 1995;23:165-8
- Tuberculin skin test conversion in hospital employees vaccinated with bacille Calmette-Guérin: recent *Mycobacterium tuberculosis* infection or booster effect? (Horowitz et al). 1995;23:181-7
- The use of continuous quality improvement to achieve proper isolation of patients with suspected tuberculosis (Cook et al). 1995;23:323-8 (Practice forum)

U

Ultraviolet rays

- Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64

Universal precautions

- Compliance with universal precautions among health care workers at three regional hospitals (Gershon et al). 1995;23:225-36

Upper-room ultraviolet air disinfection

- Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64

V

Vancomycin

- The challenge of vancomycin-resistant enterococci: a clinical and epidemiologic study (Lam et al). 1995;23:170-80
- Recommendations for preventing the spread of vancomycin resistance: recommendations of the Hospital Infection Control Practices Advisory Committee (HICPAC) (Hospital Infection Control Practices Advisory Committee). 1995;23:87-94 (Special comm.)

Varicella zoster

- Chickenpox outbreak among the staff of a large, urban adult hospital: costs of monitoring and control (Faoagali and Darcy). 1995;23:247-50 (Brief rep.)

Ventilation

- The effects of circuit and humidifier type on contamination potential during mechanical ventilation: a laboratory study (Gilmour et al). 1995;23:65-72
- Interrupting transmission from patients with unsuspected tuberculosis: a unique role of upper-room ultraviolet air disinfection (Nardell). 1995;23:156-64

